



**Interactive Touch Magic Mirror Kiosk**

# Magic Mirror Interactive Touch Kiosk.

## Straight from science fiction

### Main features

- Projected capacitive (PCAP) touch
- Built in High performance player PC
- Proximity sensor
- Free-standing design with option to bolt down base plate
- Power & data feed from rear panel or floor through the base plate
- Key lockable access service doorUser friendly, easy for maintenance
- 80% reflexivity rate




**Touch technology - Capacitive**  
The Projective Capacitive (PCAP) touch technology with 12 touch points ensures a seamless and accurate touch response. With its AMVA3 LED panel, it offers exceptional colour performance, high contrast and wide viewing angles.

This technology uses a sensor-grid of micro-fine wires integrated into the glass that covers the screen. Touch is detected because electrical characteristics of the sensor grid change when human finger is placed on the glass. Thanks to the glass overlay this technology is highly durable, and the touch function remains unaffected even if the glass is scratched.

It offers perfect picture performance and will work with human finger (also latex gloved) and stylus-pen.



**Smart Design**  
The sleek look is achieved with a striking aluminium surround and edge-to-edge vandal proof tempered glass front panel



**Plug and Play**  
If there is no internet access available the screen can still be updated thanks to their backup USB update option.



**24/7 Commercial Use**  
A commercial grade panel, with a lifespan of 50.000 hours and high quality compenets ensure that this display can be in constant use 24/7.



Screen Size	43"	49"	55"
Model Number	G43MT	G49MT	G55MT

### Technical Specifications

#### Screen

Screen Size	43" 49" 55"
Resolution	4K
Brightness	450 cd/m2
Aspect Ratio	16:9
Response Time	8ms

#### Transparent Mirror

Thickness	4 mm
Dimensions	100 mm bezel in each side

#### PC

Intel i5 - 8 GB - 120 GB SSD - Windows 10 Pro
---

#### Touch

Touch Technology	PCAP - Projected Capacitive
Touch Points	Multi Touch
Responce Time	8 ms
OS	Windows, Linux
Protection Glass	Tempered Anti Glare
Touch interface	USB
Touch method	finger, stylus, glove (latex)

#### Other

Application Type	Stanalone
Cabinet Material	Metal
Application Area	Indoor



Dimension (mm)

Size	Model Name	A	B	C	D
43"	G43MT	692	1964	102	543
49"	G49MT	767	1964	102	543
55"	G55MT	844	1964	102	543