



* All images in this datasheet are for illustrative purposes only.

Video Wall VL5PJ

Artistic Immersion, Overwhelming Captivation



Daisy Chain
Capability



Ultra Narrow
Bezel




Easy Color
Adjustment



Efficient
Operation

VL5PJ

Screen Size	55" / 49"
Aspect Ratio	16 : 9
Native Resolution	FHD (1,920 × 1,080)
Brightness	500 nit (Typ.)
Contrast Ratio	1,200 : 1 (55") / 1,000 : 1 (49")



Daisy Chain Capability


By using this daisy-chained network feature, you can execute commands such as controlling, monitoring and even updating firmware.



Real-Time LG ConnectedCare


Maintenance is easy and fast with the optional LG ConnectedCare* service, a cloud service solution provided by LG. It remotely manages the status of displays in client workplaces for fault diagnosis and remote-control services, enabling the stable operation of clients' businesses.

* LG ConnectedCare is the brand name of LG Signage365Care Service. The availability differs by region.



Ultra Narrow Bezel

The 3.5mm ultra narrow bezel size creates immersive and seamless viewing experiences on assembled video wall screens.



Easy Color Adjustment

Depending on the content, the color temperature of the display can be easily adjusted in increments of 100K using a remote control.




Image Gap Reduction

The VL5PJ includes an image improvement algorithm that can reduce image gaps among tiled displays when playing back videos. Objects located on the bezel boundaries are adjusted for a seamless viewing experience.

* The "LG Conventional" refers to displays which do not include an image improvement algorithm.

** The image shown above are for illustration purposes only.




High Performance and Great Scalability

Thanks to its built-in SoC and webOS smart signage platform, the VL5PJ can execute several tasks at once while providing smooth content playback without the need for a media player. As webOS supports HTML5 as a web-based platform and offers SDK (Software Development Kit), it is even easier for SIs to build and optimize their web apps.


* SDK can be downloaded with the link below.
(<https://webossignage.developer.lge.com>)

CONNECTIVITY

55VL5PJ



49VL5PJ



① HDMI IN 1

② HDMI IN 2

③ DVI-D IN

④ DP IN

⑤ DP OUT

⑥ USB IN

⑦ AUDIO IN

⑧ AUDIO OUT

⑨ LAN INT

⑩ IR IN

⑪ RS-232C IN

⑫ RS-232C OUT

* Jack Panels may differ from the above image, so please contact LG sales team to verify before ordering.



Download
LG C-Display+
Mobile App
Google Play Store

www.lg.com/global/business/information-display
www.youtube.com/c/LGCommercialDisplay
www.facebook.com/LGInformationDisplay
www.linkedin.com/company/LGinformationdisplay
twitter.com/LG_ID_HQ

LG may make changes to specifications and product descriptions without notice. Copyright © 2021 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. The names of products and brands mentioned here may be the trademarks of their respective owners.